

Finishing Tool GT/F16A



 TOOLS



SYMPAFIX
serious fixings

BENEFITS

- **Powerful Engine**
- **Compact and lightweight tool**
- Supplied with **2 batteries** and quickcharger
- Slim nosepiece with door lever for **quick removal of jammed nails**
- **Depth adjustment system**
- **Quick and easy loading system** for angled 16 gauge nails
- **Single shot system**
- **Safety mechanism** with empty magazine
- Suitable for nail lengths **32mm - 64mm**
- Suitable for f.e. **wood, multiplex, triplex and thin aluminium**
- Shoots in **hard-to-reach corners** due to **angled magazine**

ASSORTMENT OVERVIEW



71460



71462



71464




71466

GT/F16A Finishing Tool

Type	Art. Nr.	QTY		
GT/F16A FINISHING TOOL	71460	1		
GT/F16A BATTERY	71462	1		
GT/F16A CHARGER BASE	71464	1		
GT/F16A 220V ADAPTER CORD	71466	1		



70400



70438

16 Gauge brads and gas

Type	Art. Nr.	QTY	QTY	mm	mm		Coating/Material	
Mini Fuel Cell	70400	1	100					
ANGLE BRADS ZINC PLATED								
GT-16ANBRAD-32EL	70432	2000+2	12000+12	32	1,6		Zinc plated	
GT-16ANBRAD-38EL	70434	2000+2	12000+12	38	1,6		Zinc plated	
GT-16ANBRAD-45EL	70436	2000+2	12000+12	45	1,6		Zinc plated	
GT-16ANBRAD-50EL	70438	2000+2	12000+12	50	1,6		Zinc plated	
GT-16ANBRAD-64EL	70440	2000+2	12000+12	64	1,6		Zinc plated	
ANGLE BRADS STAINLESS STEEL A2								
GT-16ANBRAD-32A2	70442	2000+2	12000+12	32	1,6		A2 Stainless	
GT-16ANBRAD-38A2	70444	2000+2	12000+12	38	1,6		A2 Stainless	
GT-16ANBRAD-45A2	70446	2000+2	12000+12	45	1,6		A2 Stainless	
GT-16ANBRAD-50A2	70448	2000+2	12000+12	50	1,6		A2 Stainless	
GT-16ANBRAD-64A2	70450	2000+2	12000+12	64	1,6		A2 Stainless	



- ① Nosepiece clicks open to quickly remove jammed nails
- ② Low noise- and vibration values: < 92 dB & 1,9 m/s²
- ③ Powerful engine: 2-3 shots per second
- ④ Angled magazine with a capacity of 50 nails
- ⑤ Lightweight: only 2,1 kg
- ⑥ Nail length 32mm - 64mm
- ⑦ 4500 shots per full battery

Applications

- wooden finishes
- glazing bars
- wainscoting
- Stairwel
- Interior decorating
- Furniture
- Kitchens
- Stands

GT/F16A Brad Tacker

Technical info	GT/F16A
Dimensions (l x w x h)	320x86x280mm
Nail type:	16 gauge 20 degree finishing nails
Weight:	2,16kg
Limit of use:	500 shots / hour
Number of shots per second:	2-3
Charging time battery:	120 minutes
Number of shots per fully charged battery:	4500
Number of shots per full gascan:	800
A-measured sound pressure level at workstation:	87,9 dB
Vibration value:	1,91 m/s ²

Your Sympafix dealer

